

For Research Use Only.
Not for use in diagnostic procedures.



Mouse IgG2b (isotype control)-Biotin

CODE No.	M077-6
CLONALITY	Monoclonal
CLONE	3D12
ISOTYPE	Mouse IgG2b κ
QUANTITY	50 μ L, 1 mg/mL
SOURCE	Purified IgG from hybridoma supernatant
IMMUNOGEN	KLH
REACTIVITY	No specific binding is detected on Flow cytometry.
FORMURATION	PBS containing 1% BSA and 0.1% ProClin 950
STORAGE	This antibody solution is stable for one year from the date of purchase when stored at 4°C.

APPLICATION-CONFIRMED

Flow cytometry

This antibody can be used as a negative control.
The concentration will depend on the conditions.

For more information, please visit our web site <http://ruo.mbl.co.jp/>



MEDICAL & BIOLOGICAL LABORATORIES CO., LTD.
URL <http://ruo.mbl.co.jp/>
e-mail support@mbi.co.jp, TEL 052-238-1904

RELATED PRODUCTS

Purified antibodies

M075-3 Mouse IgG1 (isotype control) (2E12)
M075-4 Mouse IgG1 (isotype control)-FITC (2E12)
M075-5 Mouse IgG1 (isotype control)-PE (2E12)
M075-6 Mouse IgG1 (isotype control)-Biotin (2E12)
M075-A48 Mouse IgG1 (isotype control)-Alexa Fluor[®] 488 (2E12)
M075-A64 Mouse IgG1 (isotype control)-Alexa Fluor[®] 647 (2E12)
M075-8 Mouse IgG1 (isotype control)-Agarose (2E12)
M076-3 Mouse IgG2a (isotype control) (6H3)
M076-4 Mouse IgG2a (isotype control)-FITC (6H3)
M076-5 Mouse IgG2a (isotype control)-PE (6H3)
M076-6 Mouse IgG2a (isotype control)-Biotin (6H3)
M076-A48 Mouse IgG2a (isotype control)-Alexa Fluor[®] 488 (6H3)
M076-A64 Mouse IgG2a (isotype control)-Alexa Fluor[®] 647 (6H3)
M077-3 Mouse IgG2b (isotype control) (3D12)
M077-4 Mouse IgG2b (isotype control)-FITC (3D12)
M077-5 Mouse IgG2b (isotype control)-PE (3D12)
M077-6 Mouse IgG2b (isotype control)-Biotin (3D12)
M077-A48 Mouse IgG2b (isotype control)-Alexa Fluor[®] 488 (3D12)
M077-A64 Mouse IgG2b (isotype control)-Alexa Fluor[®] 647 (3D12)
M078-3 Mouse IgG3 (isotype control) (6A3)
M078-4 Mouse IgG3 (isotype control)-FITC (6A3)
M078-6 Mouse IgG3 (isotype control)-Biotin (6A3)
M079-3 Mouse IgM (isotype control) (7E10)
M080-3 Rat IgG1 (isotype control) (1H5)
M080-4 Rat IgG1 (isotype control)-FITC (1H5)
M080-5 Rat IgG1 (isotype control)-PE (1H5)
M080-A48 Rat IgG1 (isotype control)-Alexa Fluor[®] 488 (1H5)
M080-A64 Rat IgG1 (isotype control)-Alexa Fluor[®] 647 (1H5)
M081-3 Rat IgG2a (isotype control) (2H3)
M081-4 Rat IgG2a (isotype control)-FITC (2H3)
M081-5 Rat IgG2a (isotype control)-PE (2H3)
M081-A48 Rat IgG2a (isotype control)-Alexa Fluor[®] 488 (2H3)
M081-A64 Rat IgG2a (isotype control)-Alexa Fluor[®] 647 (2H3)
M081-8 Rat IgG2a (isotype control)-Agarose (2H3)
M082-3 Rat IgG2c (isotype control) (6E12)
M082-4 Rat IgG2c (isotype control)-FITC (6E12)
M090-3 Rat IgG2b (isotype control) (3G8)
M090-4 Rat IgG2b (isotype control)-FITC (3G8)
M090-5 Rat IgG2b (isotype control)-PE (3G8)
M090-A48 Rat IgG2b (isotype control)-Alexa Fluor[®] 488 (3G8)
M090-A64 Rat IgG2b (isotype control)-Alexa Fluor[®] 647 (3G8)
PM035 Normal Rabbit IgG (polyclonal)
PM035-8 Normal Rabbit IgG-Agarose (polyclonal)
PM067 Normal Guinea Pig IgG (polyclonal)
M189-3 Syrian Hamster IgG (isotype control)
M199-3 Armenian Hamster IgG (isotype control)
PM084 Normal Chicken IgY (polyclonal)
PM084-4 Normal Chicken IgY-FITC (polyclonal)
PM089 Normal Sheep IgG (polyclonal)
PM094 Normal Goat IgG (polyclonal)

Smart-IP series

3190 Magnetic Rack
M075-11 Mouse IgG1 (isotype control)-Magnetic Beads (2E12)
M076-11 Mouse IgG2a (isotype control)-Magnetic Beads (6H3)
M077-11 Mouse IgG2b (isotype control)-Magnetic Beads (3D12)
M081-11 Rat IgG2a (isotype control)-Magnetic Beads (2H3)
M180-11 Anti-HA-tag mAb-Magnetic Beads (TANA2)

M132-11 Anti-HA-tag mAb-Magnetic Beads (5D8)
M185-11 Anti-DDDDK-tag mAb-Magnetic Beads (FLA-1)
M047-11 Anti-Myc-tag mAb-Magnetic Beads (PL14)
D291-11 Anti-His-tag mAb-Magnetic Beads (OGHis)
D153-11 Anti-GFP mAb-Magnetic Beads (RQ2)
M165-11 Anti-RFP mAb-Magnetic Beads (3G5)
M198-9 Anti-E-tag mAb-Magnetic beads (21D11)
M167-11 Anti-V5-tag mAb-Magnetic Beads (1H6)
D058-9 Anti-Multi Ubiquitin mAb-Magnetic beads (FK2)
M180-10 Anti-HA-tag mAb-Magnetic Agarose (TANA2)
M132-10 Anti-HA-tag mAb-Magnetic Agarose (5D8)
M185-10 Anti-DDDDK-tag mAb-Magnetic Agarose (FLA-1)
M047-10 Anti-Myc-tag mAb-Magnetic Agarose (PL14)
D291-10 Anti-His-tag mAb-Magnetic Agarose (OGHis)
D153-10 Anti-GFP mAb-Magnetic Agarose (RQ2)
M165-10 Anti-RFP mAb-Magnetic Agarose (3G5)
M167-10 Anti-V5-tag mAb-Magnetic Agarose (1H6)
M198-10 Anti-E-tag mAb-Magnetic Agarose (21D11)
M201-10 Anti-Phosphotyrosine mAb-Magnetic Agarose (PT4)



Functional grade antibodies

M075-3M2 Mouse IgG1 (isotype control) (2E12)
M076-3M2 Mouse IgG2a (isotype control) (6H3)
M077-3M2 Mouse IgG2b (isotype control) (3D12)
M078-3M2 Mouse IgG3 (isotype control) (6A3)
M079-3M2 Mouse IgM (isotype control) (7E10)
M080-3M2 Rat IgG1 (isotype control) (1H5)
M081-3M2 Rat IgG2a (isotype control) (2H3)
M090-3M2 Rat IgG2b (isotype control) (3G8)

Other related antibodies and kits are also available.
Please visit our website at <http://ruo.mbl.co.jp/>

Flow cytometric analysis for whole blood cells

- 1) Dispense 100 μ L of whole blood into each tube.
- 2) Add 50 μ L of 1, 5 or 10 μ g/mL Mouse IgG2b (isotype control)-Biotin (M077-6) diluted with washing buffer [PBS containing 2% fetal calf serum (FCS)]. Mix well and incubate for 20 min. at room temperature.
- 3) Wash the cells 1 time with 1 mL of washing buffer.
- 4) Add FITC conjugated Streptavidin diluted with washing buffer. Mix well and incubate for 20 min. at room temperature.
- 5) Wash the cells 1 time with 1 mL of washing buffer.
- 6) Add 100 μ L of OptiLyse B (for analysis on BD instruments, Beckman Coulter; code no. IM-1400). Mix well and incubate for 10 min. at room temperature.
- 7) Add 1 mL of distilled water to each tube and incubate for 10 min. at room temperature.
- 8) Centrifuge at 500 x g for 1 min. at room temperature. Remove supernatant by careful aspiration.
- 9) Resuspend the cells with 500 μ L of the washing buffer and analyze by a flow cytometer.



Flow cytometric analysis of Mouse IgG2b on human PBMC

Antibody: Mouse IgG2b (isotype control)-Biotin (M077-6)